

Google scholar

queue and "event context" and bind and global

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

Results 1 - 100 of about 105. (0.19 sec)

[\[PDF\] SLIC: A specification language for interface checking \(of C\)](#)[microsoft.com](#) [PDF]

T Ball, SK Rajamani - Techn. Report MSR-TR-2001 - research.microsoft.com

... and exit) identify the program points in the named (called) function immediately before its first statement and ... Figure 2: Slic specification for a simple property of a **global queue**. ... identifiers are used to refer to the actual/formal parameters, depending on the **event context** (call and ...

Cited by 68 - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)[A Composite-Event-Based Message-Oriented Middleware](#)[nju.edu.cn](#) [PDF]

P Yuan, H Jin - Lecture Notes in Computer Science, 2004 - Springer

... of event detection mentioned in [10][15][16][17] did not consider **event context**, it often ... The ESC is named as interacting group and assigned a group identifier - GroupId by cMOM. ... are received by cMOM, cMOM inserts those event occurrences into Handling Event **Queue** (HEQ). ...

Cited by 3 - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)[Checking timing constraints in distributed object-oriented programs](#)

M Gergeleit, J Kaiser, H Streich - ACM SIGPLAN OOPS Messenger, 1996 - portal.acm.org

... environment the eventing system has to do filtering not only based on the static event name but also based on the dynamic **event context**. ... between the events [CJD91] as stated by the constraints, and a per class list of identifiers that allows to **bind** non-object-local ... Event-**Queue** ...

Cited by 20 - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)[Method for parallel processing of events within multiple event contexts maintaining ...](#)

A Kumar, PR Chandra - US Patent App. 10/718,497, 2003 - Google Patents

... US CI 718/102 (57) ABSTRACT Techniques for parallel processing of events within multiple event contexts include dynamically **binding** an **event context** to an execution context in response to receiving an event by storing arriving events into a **global event queue** and storing ...

[All 2 versions](#)[Display adapter event handler with rendering context manager](#)

GA Flurry - US Patent 5,291,608, 1994 - Google Patents

... 1, 1994 Sheet 9 of 22 **BIND** 180 181 GUARD DOMAIN GUARD\_DOM() 182 CALL DEVICE SPECIFIC **BIND** () 183 UNGUARD DOMAIN UNGUARD\_DOM() 184 UNLINK RCX FROM OLD ... 24 480 EXfT 481 Y 482 HSC EXIT FLAG N WAIT FOR **QUEUE** ELEMENT COMMAND FIG. ...

Cited by 12 - [Related articles](#) - [All 2 versions](#)

### Generic-Events Architecture: Integrating real-world aspects in event-based systems

[ul.pt \[PDF\]](#)

A Casimiro, J Kaiser, P Verissimo - Lecture Notes in Computer Science, 2007 - Springer

... On the other hand, one that allows defining **global**, end-to-end, non-functional criteria in the time domain, such as temporal consistency, or QoS guarantees. We address these issues in this section and following ones. ... Therefore, the event is removed from the sending **queue**. ...

[Cited by 3](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

### Virtual single machine with message-like hardware interrupts and processor ...

Al Kun - US Patent 4,835,685, 1989 - Google Patents

... There is no using the process to control all operations required to be concept of a "**global** variable ... context generates a series of events which are noticed by the 91 is context 90, and the parent context of context 92 is virtual machine which consequently **queues "event" context 91** ...

[Cited by 36](#) - [Related articles](#) - [All 2 versions](#)

### Rubis: an extended relational system managing events Part I: specification

JY Lingat, P Nobecourt, C Rolland - Information and Software Technology, 1987 - Elsevier

... The structure of this message, which is the external **event 'context'**, can be quite ... The PROQUEL command : REFRESH snapshot name ; executes immediate refreshment of the named snapshot. ...

The P .... 7 i l Applicationsmonitor ] [ IF Message **queue** , Temporal processor ] II I ...

[Related articles](#) - [All 2 versions](#)

### Moving active functionality from centralized to open distributed heterogeneous ...

[psu.edu \[PDF\]](#)

M Cilia, C Bornhovd, AP Buchmann - Lecture Notes in Computer Science, 2001 - Springer

... An API to describe **event context** and to signal semantic events is provided. ... Components are the event operators (also named compositors here) that are plugged into the ... applications, invoke transaction control operations, access messaging services (e-mail, **queues**, SMS, fax ...

[Cited by 38](#) - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)

### Rendering context manager for display adapters supporting multiple domains

GA Flurry, LW Henson - US Patent 5,367,680, 1994 - Google Patents

... 22, 1994 Sheet 3 of 22 ROM SYSTEM CALL 700 SAVE USER MODE ENVIRONMENT;  
ESTABLISH KERNEL ENVIRONMENT 704 SELECT MAKP RP FUNCTION MAKE&P 706  
UNMAKE\_GP 708 CREATE\_RCX 710 DELETE\_RCX 712 **BIND** 714 SET\_RCX 716 ...

[Cited by 15](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] A compliant persistent architecture

[psu.edu \[PDF\]](#)

... , D Balasubramaniam, M Greenwood, G Kirby, ... - Software Practice and ..., 2000 - Citeseer

... level the atomicity layers ensures consistent update to the access sets and the **global** database. ...

the inheritance hierarchy, for extensions that conform to the sub-class late **binding** rules, or by ...

The user- level context has been saved to a logical **Event Context** Buffer (ECB) whose ...

[Cited by 46](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 11 versions](#)

### A language orientation for the discrete event modeling of application programs and ...

LJ Cohen - Proceedings of the 7th conference on Winter simulation ..., 1974 - portal.acm.org

... The function of the second instruction example is similar, but with respect to the channel that connects to the **global** file referenced. ... These sub-groups contain arithmetic, transfer and **queue** instructions, and they also form the most direct example of operations on real data. ...

[Related articles](#) - [All 2 versions](#)

[\[PDF\] Jonas Mellin, Jorgen Hansson and Sten F. Andler](#)

[psu.edu \[PDF\]](#)

RT CONSTRAINTS - Citeseer

... the critical system service module runs on a dedicated processor named service processor ... ing by constructors, according to the constructors and the composition policy (**event context** 8]). When ... The ECC continuously checks and computes the event input **queue** where incoming ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] Meta-programming composers in second-generation component systems](#)

[psu.edu \[PDF\]](#)

U Assmann - Systems Implementation, 2000 - Citeseer

... However, since the source needs to do more for the coupling, it will be aware whether it is used in an **event context** or not. ... These substitute the event-specific listener **queue** of the event source. ... Program variables are assumed to be slots of the **global** context. ...

[Cited by 17](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

[\[PS\] Method and composite event detection in the REACH" active database ...](#)

[uni-magdeburg.de \[PS\]](#)

A Deutsch, DIJ Zimmermann, ... - Master's thesis, ..., 1994 - [wwwiti.cs.uni-magdeburg.de](#)

... Contents Alin Deutsch, Master Thesis, July 1994 6. Composite Events.....6-1

6.1 Composite Event Definition in REACH.....6-1 6.1.1 REACH Event

Constructors..... 6-1 6.1.2 Composite **Event Context** in REACH..... ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#)

[\[PDF\] ThreadSanitizer—data race detection in practice](#)

[pintool.org \[PDF\]](#)

K Serebryany, T Iskhodzhanov - WBIA'09, 2009 - [pintool.org](#)

... Usually, the **event context** is a stack trace. ... The **global** state is the information about the synchronization events that have been observed so far (lock sets, happens-before arcs). ... 6.4. 2

Message **queue** Some message **queues** may also be unfriendly to the hybrid detector. ...

[View as HTML](#)

[\[PDF\] Implementing an Animated Visual  \$\lambda\$ -Calculus](#)

[ceur-ws.org \[PDF\]](#)

T Strobl, M Minas - VISUAL LANGUAGES AND LOGIC - [ceur-ws.org](#)

... resented by internally tangential circles, application by externally tangential circles. The **binding** of variables is explicitly represented by connecting lines. 4 DIAMETA ... The time along with affected components, the **event context**, is then stored in the event **queue**. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[BOOK\] Real-Time Embedded Multithreading Using ThreadX and MIPS: Using ...](#)

EL Lamie - 2008 - [books.google.com](#)

... xiv Contents Appendix F: Message **Queue** Services FI Appendix G: Counting Semaphore Services

GI Appendix H: Thread Services HI Appendix I: Internal System ... 10 Chapter 2 The first two

components that we create are two threads named Speedy\_Thread and Slow\_Thread. ...

**[PDF] Scalable and Flexible Parallel/Distributed Simulation Systems: A Micro- ...**

[psu.edu \[PDF\]](#)

KS Perumalla - Oak Ridge National Laboratory, Technical ..., 2005 - Citeseer

... named  $\mu$ sik (micro simulation kernel, pronounced "mew-seek").  $\mu$ sik is written in C ... Page 16.

includes two different modules: one is based on efficient **global** hierarchical reductions[13, 15], ...

The micro-kernel uses priority **queue** and list data structures in its implementation. The ...

Cited by 3 - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

**[BOOK] Real-time embedded multithreading: using ThreadX and ARM**

[byu.edu \[PDF\]](#)

EL Lamie - 2005 - books.google.com

... Blocks for System Development 31 4.1 Introduction 31 4.2 Defining Public Resources 31 4.3

ThreadX Data Types 32 4.4 Thread 32 4.5 Memory Pools 33 4.6 Application Timer 36 4.7 Mutex

37 4.8 Counting Semaphore 37 4.9 Event Flags Group 38 4.10 Message **Queue** 39 4.11 ...

Cited by 7 - [Related articles](#) - [All 5 versions](#)

**[PDF] WebSphere Studio 5.1. 2 JavaServer Faces and Service Data Objects**

[unc.edu \[PDF\]](#)

U Wahli, G Cohen, M Perrins, LS Acera, M Zandersen - 2004 - cs.unc.edu

... 19 **Binding** . . . . . 389 Design of the calculator JSP . . . . . 390 **Bind** the frontend

to the calculator bean . . . . . 391 Create an error page. . . . .

Cited by 2 - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

**Asynchronous information sharing system**

B Souder, D Gawlick, J Stamos, A Downing - US Patent 6,889,231, 2005 - Google Patents

... 1 Capture > Staging Apply FIG. 2 Page 3. US Patent May 3, 2005 Sheet 2 of 24 US 6,889,231

BI LCRs Capture Changes Redo Log Log Changes **Queue** LCR LCR User Message User

Message LCR User Message LCR LCR Database Objects D User Changes FIG. ...

Cited by 4 - [Related articles](#) - [All 6 versions](#)

**Replicating DDL changes using streams**

M Subramaniam - US Patent 7,031,974, 2006 - Google Patents

... Oracle Database • LCRs "1 LCRs or J Messages pture \ cess| **Queue** ' Apply I\_ Process 1 jflow

\LCRs LCR LCR User Message User Message LCR User Message LCR LCR t Changes Changes

Messa 1 edo\ Message Handler Procedure DM Handler rocedure DDL LCtts & T ...

Cited by 1 - [Related articles](#) - [All 2 versions](#)

**[PDF] Replacing the Message Service Component in an Integration Framework**

[cmu.edu \[PDF\]](#)

PF Zarrella, AW Brown - 1994 - sei.cmu.edu

... **Context** — the "working area" or location of the data being processed (formed from the host ... one

of session (any process within the current login session), file (a particular named file), both ... started),

start (start a process to handle the message), or **queue**+start (**queue** the message ...

Cited by 1 - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

**[BOOK] Real-Time Embedded Multithreading: Using Threadx**

EL Lamie - 2009 - books.google.com

... For System Development 31 4.1 Introduction 31 4.2 Defining Public Resources 31 4.3 ThreadX

Data Types 32 4.4 Thread 32 4.5 Memory Pools 34 4.6 Application Timer 36 4.7 Mutex 37 4.8

Counting Semaphore 38 4.9 Event Flags Group 39 4.10 Message **Queue** 40 4.11 ...

[All 2 versions](#)

### [BOOK] Resource-predictable and efficient monitoring of events

[diva-portal.org](#) [PDF]

J Mellin - diva-portal.org

... 31 3.2.2 **Global** Time Base and **Global** Ordering . . . . . 51 4.5.1 Basic Formal

Definitions for Event Contexts . . . . . 52 4.5.2 Initiator and Terminator Occurrences

of Event Types 54 4.5.3 General **Event Context** . . . . .

[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 4 versions](#)

### System for monitoring and managing computer resources and applications across ...

DN Bonnell, KL Tatarinov, MW Picard - US Patent 5,655,081, 1997 - Google Patents

... MANAGER , PARAMETER AND RECOVERY ACTION MANAGER ^ • X 78 PROCESS CACHE

MANAGER ^76 t 80 RUN | | **QUEUE** | 71 | ... user process if ((no\_user !=0 && (no\_use/\_process !=

avg\_usr\_proc = mt (no\_user\_process / no\_user); else) exit; # set **global** variables set ...

[Cited by 119](#) - [Related articles](#) - [All 2 versions](#)

### Asynchronous actions using flashback

B Souder, D Gawilick, J Stamos, A ... - US Patent App. 11/ ..., 2005 - Google Patents

... 2 Page 3. Patent Application Publication Jun. 9, 2005 Sheet 2 of 24 US 2005/0125430 AI LCRS

Capture Changes Redo Log Log Changes **Queue** LCR LCR User Message User Message

LCR User Message LCR LCR Database Objects User Changes FIG. ...

[All 2 versions](#)

### [PDF] Patterns for Time-based Hypermedia Artifacts

[psu.edu](#) [PDF]

R Lopes, L Carriço - Citeseer

... Prioritized Command **Queue** updates ... A user annotates a specific content and later wants to go

back to that content, through the annotation **binding**. ... Related Patterns: Timeline (2.1.4) provides

a Timed Active Reference re- lated to the **global** content time (albeit it does not have ...

[Related articles](#) - [View as HTML](#) - [All 7 versions](#)

### [PDF] U" DTIC.

[dtic.mil](#) [PDF]

AW Brown - dtic.mil

... **Context** - the "working area" or location of the data being processed l- (formed from the host ... 3

session (any process within the current login session), file (a particular named file), both (the

union of ... be found (default is to discard the message), and can be one of **queue** (hold the ...

[View as HTML](#) - [All 2 versions](#)

### Method for enforcing a hierarchical invocation structure in real time asynchronous ...

RC Mays - US Patent 6,035,321, 2000 - Google Patents

... local to kernel's address space? NO 703 Place event handle in a **queue**, network

level software is responsible for **binding** to correct node 705 Convert event handle into pointer to the event. 707 User pointer to Internal event ...

[Cited by 3](#) - [Related articles](#) - [All 6 versions](#)

### [PDF] THE EVALUATION OF TINYOS WITH WIRELESS SENSOR NODE ...

[psu.edu \[PDF\]](#)

F Olusola, S Prof, T Larsson - 2007 - Citeseer

... When an address location changes, the **binding** will only be delayed until the next run time is to be executed. ... The system execution is typically triggered when an event posts one or more tasks to the **queue** and quickly leaves its **event context**[28]. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

### [PDF] Improving Attack Detection in Host-Based IDS by Learning Properties of ...

[psu.edu \[PDF\]](#)

A Chaturvedi, S Bhatkar, R Sekar - ... of the IEEE Symposium on Security ..., 2006 - Citeseer

... We use the term control-flow context to refer to the **event context** information that can be provided by a control-flow model. ... 1. int main(int argc, char \*\*argv) { 2. source dir = argv[1]; target file = argv[2]; 3. target fd = open(target file, WR); 4. push(source dir); // uses a **global** stack 5 ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

### [BOOK] Tales of dark-skinned women: race, gender and global culture

G Bhattacharyya - 1998 - books.google.com

... of literary scholarship ties the work known in "the West" as Tales from one thousand and one nights to a geography and his- torical moment named "Islam ... Better to accept this **global** mix-up as part of our own confusion ... 5. See, famously, "Signature, **event, context**" in Derrida (1982 ...

[Cited by 15](#) - [Related articles](#)

### Service proxy definition

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20050267892A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2005/0267892 AI Patrick et al. (43) Pub. Date: Dec. 1,2005 (54)

SERVICE PROXY DEFINITION (76) Inventors: Paul B. Patrick ...

[All 2 versions](#)

### Service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20060031354A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2006/0031354 AI Patrick et al. (43) Pub. Date: Feb. 9,2006 (54)

SERVICE ORIENTED ARCHITECTURE (75) Inventors: Paul ...

[All 6 versions](#)

### Dynamic publishing in a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20060031353A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2006/0031353 AI Patrick et al. (43) Pub. Date: Feb. 9,2006 (54)

DYNAMIC PUBLISHING IN A SERVICE ORIENTED ARCHITECTURE ...

[All 2 versions](#)

### Dynamic routing in a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20050273516A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0273516 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)  
DYNAMIC ROUTING IN A SERVICE ORIENTED ARCHITECTURE ...

[All 2 versions](#)

### Secure service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US20060136555A1 (19) United States (12) Patent Application Publication  
GO) Pub. NO.: US 2006/0136555 AI Patrick et al. (43) Pub. Date: Jun. 22,2006 (54)  
SECURE SERVICE ORIENTED ARCHITECTURE (75) Inventors ...

[All 2 versions](#)

### Batch updating for a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20060031433A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2006/0031433 AI Patrick et al. (43) Pub. Date: Feb. 9,2006 (54) BATCH  
UPDATING FOR A SERVICE ORIENTED ARCHITECTURE ...

[All 2 versions](#)

### Service oriented architecture with file transport protocol

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20050273520A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0273520 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)  
SERVICE ORIENTED ARCHITECTURE WITH FILE TRANSPORT ...

[All 2 versions](#)

### Error handling for a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20060005063A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2006/0005063 AI Patrick et al. (43) Pub. Date: Jan. 5,2006 (54)  
ERROR HANDLING FOR A SERVICE ORIENTED ARCHITECTURE ...

[All 2 versions](#)

### Service oriented architecture with credential management

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20050273517A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0273517 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)  
SERVICE ORIENTED ARCHITECTURE WITH CREDENTIAL ...

[All 2 versions](#)

## [PDF] Working with SEC-the Simple Event Correlator

J Brown - Web publication, November, 2003 - cse.iitb.ac.in

... This example uses the write action. The write action writes the specified text to the named filename . Copy ... Special variables have **global** scope across multiple SEC rule files. ... Example C2.2.5.01.conf # Use the event action to **queue** input in the future. ...

Cited by 5 - [Related articles](#) - [View as HTML](#)

## Dynamic program modification

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20050278374A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2005/0278374 AI Patrick et al. (43) Pub. Date: Dec. 15,2005 (54)

DYNAMIC PROGRAM MODIFICATION (75) Inventors: Paul ...

[All 4 versions](#)

## BUILDING A GOPHER FROM SOCKETS AND WIDGETS

W is GOPHER - Wisdom of the Gurus: A Vision for Object ..., 1998 - books.google.com

... Most widgets are created using widget creation convenience methods named createXXXX:

argBlock:, where xxxx is the type of widget to ... viability, 167 Ericsson HP Telecommunication AB, 136, 289-290, 293, 299, 310,317, 320 error log, 215 **event context**, 74 demultiplexing, 293 ...

[All 2 versions](#)

## Message processing in a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2007 - Google Patents

... Other features, aspects and objects of the invention can be obtained from a review of the specification, the figures and the claims. 528 530 i 516 **Binding** layer process- ing Xform stage

Routing stages Other — | pipeline runtime and stage SPI stages ... ...

[All 4 versions](#)

## Reliable updating for a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

... 13, 2006 Sheet 5 of 16 US 2006/0080419 AI Inbound proxy port 400 Inbound transport 402

Inbound **binding** 404 Pipeline 406 408 • Outbound **binding** 410 Outbound transport 412 Primary endpoint port Multiple Subscribing endpoint ports 414 Outbound **binding** 416 Outbound ...

[All 4 versions](#)

## Service oriented architecture with monitoring

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20060031481A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2006/0031481 AI Patrick et al. (43) Pub. Date: Feb. 9,2006 (54)

SERVICE ORIENTED ARCHITECTURE WITH MONITORING ...

[All 2 versions](#)

## Service oriented architecture with electronic mail transport protocol

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20050273497A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0273497 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)  
SERVICE ORIENTED ARCHITECTURE WITH ELECTRONIC ...

[All 2 versions](#)

### Failsafe service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20050270970A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0270970 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)  
FAILSAFE SERVICE ORIENTED ARCHITECTURE (75) Inventors ...

[All 2 versions](#)

### Liquid computing

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
... 16,2006 Sheet 5 of 18 US 2006/0036463 AI Inbound proxy port 400 Inbound transport 402  
Inbound **binding** 404 Pipeline 406 408 • Outbound **binding** 410 Outbound transport 412 Primary  
endpoint port Multiple Subscribing endpoint ports 414 Outbound **binding** 416 Outbound ...

[All 2 versions](#)

### [PS] A Phase-Web approach to resolving deixis in intelligent multimodal systems

[sunsite.dk \[PS\]](#)

NG Tuns, TD Nielsen - GROUP - topsy.sunsite.dk  
... As Pook suggests in her study Pook, 1995], humans also use deictic strategies in order to **bind**  
cognitive goals to spatial targets ... Although the speech **event context** is assumed to be more basic  
than the other types when interpreting linguistic expressions, the context can also ...

[View as HTML](#) - [All 3 versions](#)

### Service oriented architecture with alerts

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20050278335A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0278335 AI Patrick et al. (43) Pub. Date: Dec. 15,2005  
(54) SERVICE ORIENTED ARCHITECTURE WITH ALERTS ...

[All 2 versions](#)

### Programmable service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20060031355A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2006/0031355 AI Patrick et al. (43) Pub. Date: Feb. 9,2006 (54)  
PROGRAMMABLE SERVICE ORIENTED ARCHITECTURE ...

[All 2 versions](#)

### Service oriented architecture with message processing stages

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents  
Page 1. US 20050273502A1 (19) United States (12) Patent Application Publication  
(io> Pub. NO.: US 2005/0273502 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)  
SERVICE ORIENTED ARCHITECTURE WITH MESSAGE ...

[All 2 versions](#)

### Service oriented architecture with message processing pipelines

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20060031432A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2006/0031432 AI Patrick et al. (43) Pub. Date: Feb. 9,2006 (54)

SERVICE ORIENTED ARCHITECTURE WITH MESSAGE ...

[All 4 versions](#)

### Programmable message processing stage for a service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

Page 1. US 20050273847A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2005/0273847 AI Patrick et al. (43) Pub. Date: Dec. 8,2005 (54)

PROGRAMMABLE MESSAGE PROCESSING STAGE FOR ...

[All 2 versions](#)

### Digital containers for proposal objects

JJ Tibbetts - US Patent App. 09/962,757, 2001 - Google Patents

Page 1. US 20030061463A1 (19) United States (12) Patent Application Publication

(io> Pub. NO.: US 2003/0061463 AI Tibbetts (43) Pub. Date: Mar. 27,2003 (54) DIGITAL

CONTAINERS FOR PROPOSAL OBJECTS (76) Inventor ...

[All 2 versions](#)

### Dynamically configurable service oriented architecture

PB Patrick, A Aletty, J Kasi, C Kapoor, T ... - US Patent App. 11/ ..., 2005 - Google Patents

... 16,2006 Sheet 5 of 16 US 2006/0034237 AI Inbound proxy port 400 Inbound transport 402

Inbound **binding** 404 Pipeline 406 408 • Outbound **binding** 410 Outbound transport 412 Primary endpoint port Multiple Subscribing endpoint ports 414 Outbound **binding** 416 Outbound ...

[All 4 versions](#)

### [PDF] Compiler-assisted concurrency abstraction for resource-constrained ...

[vanderbilt.edu \[PDF\]](#)

J Sallai - 2008 - etd.library.vanderbilt.edu

... provides C-style scoping and automatic allocation of variables local to a thread, eliminating the need for declaring **global** variables for information sharing between related actions. ... a **queue** of events that have occurred (either externally to the system, or created internally ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

### [PDF] ECCO: Data centric asynchronous communication

[psu.edu \[PDF\]](#)

E Yoneki - Citeseer

... As a primary focus, this dissertation investigates a structureless, asynchronous group communication over wireless ad hoc networks named ECCO\* Pervasive Publish/Subscribe (ECCO-PPS). ...

143 6.9.2 **Global** Subscription State . . . . . 164 7.5.4 **Event Context** . . . . .

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

**[PDF] Soft-timer driven transient kernel control flow attacks and defense**

[bryanpayne.org](http://bryanpayne.org) [PDF]

J Wei, BD Payne, J Giffin, C Pu - ACSAC'08: Proceedings of the 24th ... - bryanpayne.org  
... malicious process structure and detaches it from both the all-task list and the standard run **queue**. ...  
of each function in the Linux kernel, and if lval ends with a field named function within a ... The  
security VM handles the virtual IRQ by copying the **event context** from the guest into its ...  
Cited by 1 - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

**[PDF] A Rule-Based Programming Model for Wireless Sensor Networks**

[fu-berlin.de](http://fu-berlin.de) [PDF]

DIK Terfloth - diss.fu-berlin.de  
Page 1. DOCTORAL DISSERTATION A Rule-Based Programming Model for Wireless Sensor  
Networks Dissertation zur Erlangung des akademischen Grades einer Doktorin der  
Naturwissenschaften (Dr. rer. nat.) im Fachbereich Mathematik und ...  
[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

**[PDF] A MOBILE FILE SERVICE BASED ON DOUBLE MIDDLEWARE**

[fcla.edu](http://fcla.edu) [PDF]

J ZHANG - 2002 - purl.fcla.edu  
Page 1. A MOBILE FILE SERVICE BASED ON DOUBLE MIDDLEWARE By JINSUO  
ZHANG A DISSERTATION PRESENTED TO THE GRADUATE SCHOOL OF THE  
UNIVERSITY OF FLORIDA IN PARTIAL FULFILLMENT OF ...  
[View as HTML](#) - [All 2 versions](#)

**[PDF] DOUBLE MIDDLEWARE-BASED MOBILE FILE SERVICE**

[psu.edu](http://psu.edu) [PDF]

J ZHANG - 2002 - Citeseer  
Page 1. DOUBLE MIDDLEWARE-BASED MOBILE FILE SERVICE By JINSUO ZHANG  
A DISSERTATION PRESENTED TO THE GRADUATE SCHOOL OF THE  
UNIVERSITY OF FLORIDA IN PARTIAL FULFILLMENT OF THE ...  
[View as HTML](#) - [All 3 versions](#)

**[BOOK] Excellence in practice: Innovation and excellence in workflow and imaging**

L Fischer - 1998 - books.google.com  
... years. Her insights, hard work and writings have been greatly instrumental in their  
**global** success and recognition. I 11 Page 16. EXCELLENCE IN PRACTICE am  
deeply grateful for her support and encouragement. Managing ...  
Cited by 19 - [Related articles](#) - [All 3 versions](#)

**THE EVALUATION OF TINYOS WITH WIRELESS SENSOR NODE OPERATING ...**

[hh.se](http://hh.se) [PDF]

O Famoriyo - 2007 - dspace.hh.se  
... When an address location changes, the **binding** will only be delayed until the next run time  
is to be executed. ... The system execution is typically triggered when an event posts one or  
more tasks to the **queue** and quickly leaves its **event context**[28]. ...  
[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

**[PDF] Dipartimento di Informatica e Scienze dell'Informazione**

[itc.it](http://itc.it) [PDF]

S Pini - sra.itc.it

... system. In fact, it facilitates a compositional approach to software development, that favours the realization of a pro- totype which performs a **global** task as the aggregation of sub-tasks, each performed by individual agents. For ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

## AUTOMATED EXECUTION OF HEALTH CARE PROTOCOLS IN AN INTEGRATED ...

MR Martin - 2009 - freepatentsonline.com

... These mappings are maintained in a **global** registry of message **queues**, which is shown in FIG. ... executed. Send(e, q), Publishes an event of type e to **queue** q. If no **queue**, 6.1 (606), 6.3. is named, the event is sent only to the FSA's local, (612), 6.4 (614),. event **queue**. ...

## [BOOK] Sign here!: handwriting in the age of new media

S Neef, J van Dijk, FCJ Ketelaar, E Ketelaar - 2006 - books.google.com

... 'Signature **Event Context**', in: Limited Inc., 1 ... best-selling weekly magazine Stern headlined the sensational find of secret diaries written by Adolf Hitler.<sup>4</sup> The discovery of these documents was presented as an adventurous story about an heroic pilot named Friedrich Gundlfinger ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

## BUNDLING OF AUTOMATED WORK FLOW

B Bursey - 2009 - freepatentsonline.com

... The most common types of computer networks in order of scale include: Personal Area Network (PAN), Local Area Network (LAN), Campus Area Network (CAN), Metropolitan Area Network (MAN), Wide Area Network (WAN), **Global** Area Network (GAN), Internetwork (intranet ...

## CONTEXTUAL EXECUTION OF AUTOMATED WORKFLOWS

B Bursey - 2009 - freepatentsonline.com

... The most common types of computer networks in order of scale include: Personal Area Network (PAN), Local Area Network (LAN), Campus Area Network (CAN), Metropolitan Area Network (MAN), Wide Area Network (WAN), **Global** Area Network (GAN), Internetwork (intranet ...

## 'exactly like where you are right now... only much, much better': art and human ...

J Webb - Continuum, 2007 - informaworld.com

... slip the dogs of war); as they threaten artists and asylum seekers, **queue** jumpers, gay ... to which a statement or its idea is reiterated that the phenomenon so named becomes visible ... Derrida, J. (1991) 'Signature **event context**', in Between the Blinds: a Derrida Reader, ed. P. Kamuf ...

[Related articles](#) - [BL Direct](#) - [All 2 versions](#)

## [BOOK] When cultures collide: Managing successfully across cultures

RD Lewis - 2000 - books.google.com

... When Cultures Collide Managing successfully across cultures A major new edition of the **global** guide Richard D ... resold, hired out or otherwise disposed of by way of trade in any form, **binding** or cover ... It is common sense in Germany or Sweden to form an orderly bus **queue**. ...

[Cited by 214](#) - [Related articles](#) - [All 3 versions](#)

### Expression and flexibility framework for providing notification (s)

P Seshadri, P Garrett, H Knight, RF Blanch, S ... - US Patent ..., 2007 - Google Patents  
... 6,643,682 B1 \* 11/2003 Todd et al 709/202 12, 2001, www.oreilly.com, printed Mar. 25, 2003,  
9 pages. 6,662,195 B1 12/2003 Langseth et al. Microsoft Corporation, "**Global** XML Web Services  
Architecture", 6,704,803 B2 3/2004 Wilson et al. White Paper, Oct. 2001, 11 pages. ...

[Related articles](#) - [All 2 versions](#)

### [PDF] Time-based Hypermedia Processing and Pattern System

[psu.edu](#) [PDF]

DIF TR - CiteSeer

Page 1. Time-based Hypermedia Processing and Pattern System Rui Lopes DI-FCUL  
TR-06-8 June 2006 Departamento de Informatica Faculdade de Ciencias da  
Universidade de Lisboa Campo Grande, 1749-016 Lisboa Portugal ...

[Related articles](#) - [View as HTML](#) - [All 7 versions](#)

### Time-based Hypermedia Processing and Pattern System

[ul.pt](#) [PDF]

R Lopes - 2006 - docs.di.fc.ul.pt

Page 1. Time-based Hypermedia Processing and Pattern System Rui Lopes DI-FCUL  
TR-06-8 June 2006 Departamento de Informatica Faculdade de Ciencias da  
Universidade de Lisboa Campo Grande, 1749-016 Lisboa Portugal ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

### System and method for handling events in an instrumentation system

AS Shah, J Pathak, B Mitchell, HA Andrade, SL ... - US Patent ..., 1998 - Google Patents  
... to session (identifier) to Application Non-VISA to VISA conversion VISA Resource Manager  
Determine location of resource 242 **Global** data device ... 10, 1998 Sheet 21 of 35 VISA Application  
Number 1 Session Event Handler to **Queue** List Resource #1 VISA Application Number ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] Internet- Scale Information Monitoring: A Continual Query Approach

[psu.edu](#) [PDF]

W Tang - 2003 - CiteSeer

... data. Examples of unstructured data include some Web pages, books, emails, news  
articles, images, and PDF or Word documents. Information on the Web does not share  
a **global** schema. The heterogeneous nature of the online ...

[Related articles](#) - [View as HTML](#) - [All 8 versions](#)

### [BOOK] Professional event coordination

JR Silvers - 2004 - books.google.com

... JOE GOLDBLATT, CSEP Special Events: Twenty-First Century **Global** Event Management, Third  
Edition by Dr. Joe Goldblatt, CSEP The International Dictionary of Event Management, Second  
Edition by Dr. Joe Goldblatt, CSEP, and Kathleen S. Nelson, CSEP Corporate Event ...

[Cited by 12](#) - [Related articles](#)

### 11 The EU as a security actor

O Waver - International Relations Theory and Politics European ..., 2000 - books.google.com

... this claim and thus grants the actor a right to violate rules that otherwise would **bind**. ... Bull, has mostly explored the logic of one particular international system, the European-turned-global one, and ... to produce a threat of rejection shock', the actual effect of the long **queue** is mostly ...

[Related articles](#) - [All 2 versions](#)

**[PDF] [Design of a Recommender System for Participatory Media Built on a ...](#)**

[iitd.ac.in](#) [PDF]

A Seth - 2008 - [cse.iitd.ac.in](#)

... pattern for the coming year. This can be a very complex matter. The farmer should ideally take into account (i) **global** commodity price projections which would affect the market price for 3 Page 16. his produce, (ii) expansion ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

**[PDF] [Vaidy Sunderam, Arndt Bode Lehrstuhl fur Rechnertechnik und ...](#)**

[psu.edu](#) [PDF]

T Ludwig, R Wismuller - Citeseer

... 52 7.2.4 **Event Context** Parameters . . . . . Before going into details with the project goals of OMIS let us give a quick overview on the latter project. Its **global** goal is to design and implement an integrated environment of various tools to make cluster computing easier. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

**[PDF] [Ontology and Agent based Approach for Knowledge Management](#)**

[psu.edu](#) [PDF]

M Laclavik - 2005 - Citeseer

... Human knowledge is distributed among people and certain mechanisms are used for its comprehension and organization by using the same language, understanding the same terms or creating **global** knowledge bases such as libraries or recent computer based databases or ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

**[PDF] [A trust-relationship management framework for federated virtual ...](#)**

[psu.edu](#) [PDF]

J Gemmill - 2006 - Citeseer

... more efficient and cost-effective than attempting to replicate this infrastructure on a per- 2 UAB calls its SSO identifier a "BlazerID", named after the university mascot and sports teams. ... cate; or biometric device. The absence of a **global**, uniquely identifiable name space is ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

**[CITATION] [Visions of modernity: representation, memory, time and space in the ...](#)**

S McQuire - 1998 - Sage Publications Ltd

[Cited by 71](#) - [Related articles](#) - [All 2 versions](#)

**[Application program interface that enables communication for a network software ...](#)**

AW Smith, AJ Moore, DS Ebbo, EB Christensen, EB ... - 2006 - [freepatentsonline.com](#)

... The named groups can be organized under a single "**global** root" namespace for system ... provided are classes which provide the web forms server controls data **binding** functionality, the ... and classes that define various collections of objects, such as lists, **queues**, arrays, hash ...

[Related articles](#)

### In Another Cosmopolitanism, Seyla Benhabib promotes the idea that re-cent ...

POF LAW - Emergency Politics: Paradox, Law, Democracy, 2009 - books.google.com

... 18 Benhabib, however, in the second lecture of Another Cosmopolitanism, "Democratic Iterations: The Local, the National and the **Global**," focuses for ... that it again resembles the version we looked at earlier in chapter 1:" that the republican sovereign should undertake to **bind** ...

[Related articles](#)

### Service triggering framework

RW Steinfeldt, HG Smith - US Patent App. 10/305,285, 2002 - Google Patents

... 7 Page 6. Patent Application Publication Oct. 2, 2003 Sheet 5 of 13 US 2003/0187992 A1 801

r 802 Administrator Domain A Order h 804 -M F2 ^ 806 **Event Context Event Context** Administrator

Domain B Order h+1 Fig. ... Resulting **Event Context** /- / 1407 Resulting SIP y0 a Fig. ...

[All 7 versions](#)

### [BOOK] Working with machines: the nuts and bolts of lean operations with jidoka

M Baudin - 2007 - books.google.com

... Chapter 10 provides as much of a general theory of monuments as can reasonably be formulated, and then gets specific, by zooming in on three very different examples: a rolling mill, an electroplating shop, and Toyota's **Global** Body Line (GBL). ...

[Cited by 1](#) - [Related articles](#)

### METHOD AND SYSTEM FOR AN AUTOMATED SCRIPTING SOLUTION FOR ...

JJ Haswell, RJ Young, K Schramm - 2003 - freepatentsonline.com

... HTML has been in use by the World-Wide Web **global** information initiative since 1990. ... system and, in the future, Microsoft's development tool for Java, code named "Jakarta." ActiveX ... error code - mapped to a unique description in the database. o **event context**: ■ Any relevant ...

[Related articles](#) - [All 3 versions](#)

### [PDF] 2000 Monterey Workshop on Modelling Software System Structures in a ...

[montereyworkshop.org](http://montereyworkshop.org) [PDF]

I Santa Margherita Ligure - montereyworkshop.org

Page 1. Proceedings of the 2000 Monterey Workshop on Modelling Software System Structures in a fastly moving scenario Santa Margherita Ligure, Italy June 13-16, 2000 Co-sponsored by ARO, NSF, ARL (European Research Office), INDAM (GNIM), University of Genoa ...

[Related articles](#) - [All 2 versions](#)

### [BOOK] Finland, cultural lone wolf

RD Lewis - 2005 - books.google.com

... 1996) London: Nicholas Brealey Publishing Memoirs of a Linguist: The Road from Wigan Pier (1998) Winchester: Transcreen Publications Cross-Cultural Communication: A Visual Approach (1999) Winchester: Transcreen Publications The Cultural Imperative: **Global** Trends in ...

[Cited by 25](#) - [Related articles](#)

### [BOOK] Naming & unnamng: on Raymond Queneau

J Stump - 1998 - books.google.com

... philosophical position). Nor is this a **global** analysis of the novels of Raymond Queneau; rather, I intend to concentrate on one particular aspect of Queneau's writing and to consider its relation to his work as a whole. This consideration ...

[Cited by 3](#) - [Related articles](#) - [All 3 versions](#)

### System, method and article of manufacture for an activity framework design in an e- ...

RA Underwood - US Patent 6,718,535, 2004 - [freepatentsonline.com](#)

... FIG. 70 shows an interface for debugging an Active Server Page (example **global**.asa file) according to an embodiment of the present invention; ... 124A is a flow chart depicting a method for providing a **global** internetworking gateway architecture in an e-commerce environment; ...

[Cited by 18](#) - [Related articles](#)

### Codes table framework design in an E-commerce architecture

RA Underwood - US Patent 6,609,128, 2003 - [freepatentsonline.com](#)

... HTML has been in use by the World-Wide Web **global** information initiative since 1990 ... languages including Microsoft Visual C++, Borland Delphi, Microsoft Visual Basic programming system and, in the future, Microsoft's development tool for Java, code named "Jakarta." ActiveX ...

[Cited by 12](#) - [Related articles](#)

### [DOC] MA Cultural & Critical Studies

E Form, CA Scheme - [bbk.ac.uk](#)

... Weibel, Peter, 'World as Interface: Toward the Construction of Context-Controlled Event-World', in net condition: art and **global** media (Electronic Culture: History, Theory, and Practice) (MIT Press, 2001). ... Mike Featherstone et al., eds, **Global** Modernities (London: Sage, 1995). ...

[Related articles](#) - [View as HTML](#)

[bbk.ac.uk \[DOC\]](#)

### Secure gateway interconnection in an e-commerce based environment

RA Underwood - 2004 - [freepatentsonline.com](#)

... Title: Secure gateway interconnection in an e-commerce based environment. United States Patent 6704873. Abstract: A system and method of providing a **global** internetworking gateway architecture in an e-commerce environment are provided. ...

[Related articles](#)

### Managing user information on an e-commerce system

RA Underwood - 2006 - [freepatentsonline.com](#)

... FIG. 70 shows an interface for debugging an Active Server Page (example **global**.asa file) according to an embodiment of the present invention; ... 124 is a flow chart depicting a method for providing a **global** internetworking gateway architecture in an e-commerce environment; ...

[Related articles](#)

Google 

Result Page: [1](#) [2](#) [Next](#)

---

---

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google